

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A white color organic electroluminescence device comprising:

a cathode;

an anode; and


one or more organic thin film layers sandwiched between the two electrodes and comprising at least a light emitting layer

wherein the light emitting layer has a laminate comprising a bluish color light emitting layer and a yellow-to-reddish color light emitting layer;

wherein the light emitting layer comprises an asymmetric compound comprising a condensed ring,

wherein the asymmetric compound comprising a condensed ring comprises a compound of formulae (I)-(IX) below:

formula (I):




wherein Ar¹ and Ar² each independently represent a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, provided that Ar¹ and Ar² do not have the same structure, wherein when Ar¹ and/or Ar² is substituted by a substituent, the substituent is independently at least one selected from the group consisting of a halogen atom, a hydroxyl

group, a nitro group, a cyano group, an alkyl group, an aryl group, a cycloalkyl group, an alkoxy group, an aromatic heterocyclic group, an aralkyl group, an aryloxy group, an arylthio group, an alkoxy carbonyl group, a carboxyl group, and combinations thereof, and

R^1 to R^8 each independently represent a hydrogen atom, a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, a substituted or unsubstituted aromatic heterocyclic group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 6 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 nuclear atoms, a substituted or unsubstituted arylthio group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkoxy carbonyl group having 1 to 50 carbon atoms, a carboxyl group, a halogen atom, a cyano group, a nitro group, or a hydroxyl group;

formula (II):



wherein Ar represents a substituted or unsubstituted fused aromatic ring residue having 10 to 50 nuclear carbon atoms,


Ar' represents hydrogen or a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms,

X represents a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, a substituted or unsubstituted aromatic heterocyclic group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted

or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 6 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 nuclear atoms, a substituted or unsubstituted arylthio group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkoxycarbonyl group having 1 to 50 carbon atoms, a carboxyl group, a halogen atom, a cyano group, a nitro group, or a hydroxyl group, and

a, **b**, and **c** each represent an integer of 0 to 4, and **n** represents an integer of 1 to 3, wherein when **Ar**, **Ar'** and/or **X** is substituted by a substituent, the substituent is independently at least one selected from the group consisting of a halogen atom, a hydroxyl group, a nitro group, a cyano group, an alkyl group, an aryl group, a cycloalkyl group, an alkoxy group, an aromatic heterocyclic group, an aralkyl group, an aryloxy group, an arylthio group, an alkoxycarbonyl group, a carboxyl group, and combinations thereof;

formula (III):




(III)

wherein A^1 and A^2 each independently represent a substituted or unsubstituted fused aromatic ring residue having 10 to 20 nuclear carbon atoms,

Ar^1 and Ar^2 each independently represent a hydrogen atom, or a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, and

R^1 to R^{10} each independently represent a hydrogen atom, a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, a substituted or unsubstituted aromatic heterocyclic group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 6 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 nuclear atoms, a substituted or unsubstituted arylthio group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkoxycarbonyl group having 1 to 50 carbon atoms, a carboxyl group, a halogen atom, a cyano group, a nitro group, or a hydroxyl group, provided that no symmetrical group binds to each of 9-position and 10-position of central anthracene;

formula (IV):




wherein $Ar^{1'}$ and $Ar^{2'}$ each independently represent a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, and

R^1 to R^{10} each independently represent a hydrogen atom, a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, a substituted or unsubstituted aromatic heterocyclic group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 6 to 50 carbon atoms, a

substituted or unsubstituted aryloxy group having 5 to 50 nuclear atoms, a substituted or unsubstituted arylthio group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkoxycarbonyl group having 1 to 50 carbon atoms, a carboxyl group, a halogen atom, a cyano group, a nitro group, or a hydroxyl group, provided that no symmetrical group binds to each of 9-position and 10-position of central anthracene;

formula (V):



(V)


wherein Ar³ and Ar⁴ each independently represent a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, provided that Ar³ and Ar⁴ do not have the same structure,

wherein when Ar³ and/or Ar⁴ is substituted by a substituent, the substituent is independently at least one selected from the group consisting of a halogen atom, a hydroxyl group, a nitro group, a cyano group, an alkyl group, a cycloalkyl group, an alkoxy group, an aromatic heterocyclic group, an aralkyl group, an aryloxy group, an arylthio group, an alkoxycarbonyl group, a carboxyl group, and combinations thereof, and

R¹¹ to R¹⁸ each independently represent a hydrogen atom, a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, a substituted or unsubstituted aromatic heterocyclic group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkyl

group having 1 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 6 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 nuclear atoms, a substituted or unsubstituted arylthio group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkoxycarbonyl group having 1 to 50 carbon atoms, a carboxyl group, a halogen atom, a cyano group, a nitro group, or a hydroxyl group;

formula (VI):



(VI)

wherein Ar⁵ represents a substituted or unsubstituted fused aromatic ring residue having 10 to 50 nuclear carbon atoms,


Ar⁶ represents a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms,

X¹ and X² each independently represent a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, a substituted or unsubstituted aromatic heterocyclic group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 6 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 nuclear atoms, a substituted or unsubstituted arylthio group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkoxycarbonyl group having 1 to 50 carbon atoms, a carboxyl group, a halogen atom, a cyano group, a nitro group, or a hydroxyl group,

wherein when Ar⁵, Ar⁶ and/or X² is substituted by a substituent, the substituent is independently at least one selected from the group consisting of a halogen atom, a hydroxyl group, a nitro group, a cyano group, an alkyl group, a cycloalkyl group, an alkoxy group, an aromatic heterocyclic group, an aralkyl group, an aryloxy group, an arylthio group, an alkoxycarbonyl group, a carboxyl group, and combinations thereof, and

d represents an integer of 0 to 8, **e** represents an integer of 0 to 4, and **n¹** represents an integer of 1 to 3;

formula (VII):




wherein Ar⁷ and Ar⁸ each independently represent a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms,

X³, X⁴, and X⁵ each independently represent a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, a substituted or unsubstituted aromatic heterocyclic group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 6 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 nuclear atoms, a substituted or unsubstituted arylthio group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkoxycarbonyl

group having 1 to 50 carbon atoms, a carboxyl group, a halogen atom, a cyano group, a nitro group, or a hydroxyl group, and

f and **g** each represent an integer of 0 to 4, **h** represents an integer of 0 to 8, and n^2 represents an integer of 1 to 3, provided that no symmetrical group binds to each of 1-position and 6-position of central pyrene;

formula (VIII):



(VIII)


wherein A³ and A⁴ each independently represent a substituted or unsubstituted fused aromatic ring residue having 10 to 20 nuclear carbon atoms;

Ar⁹ and Ar¹⁰ each independently represent a hydrogen atom, or a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, and

R¹¹ to R²⁰ each independently represent a hydrogen atom, a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, a substituted or unsubstituted aromatic heterocyclic group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 6 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 nuclear atoms, a substituted or unsubstituted arylthio group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkoxycarbonyl group having 1 to 50 carbon atoms, a carboxyl group, a halogen atom, a

cyano group, a nitro group, or a hydroxyl group, provided that no symmetrical group binds to each of 1-position and 6-position of central pyrene;

formula (IX):



(IX)

wherein Ar¹¹ and Ar¹² each independently represent a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms,

X⁶ and X⁷ each independently represent a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, a substituted or unsubstituted aromatic heterocyclic group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 6 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 nuclear atoms, a substituted or unsubstituted arylthio group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkoxycarbonyl group having 1 to 50 carbon atoms, a carboxyl group, a halogen atom, a cyano group, a nitro group, or a hydroxyl group,


L represents a substituted or unsubstituted arylene group having 6 to 50 nuclear carbon atoms, or a substituted or unsubstituted divalent aromatic heterocyclic group having 3 to 50 nuclear atoms; and

i and j each represent an integer of 0 to 8, and n³ and n⁴ each represent an integer of 1 to 3.

Claim 2 (Previously Presented): The white color organic electroluminescence device according to claim 1, wherein the light emitting layer consists of the bluish color light emitting layer and the yellow-to-reddish color light emitting layer.

Claim 3 (Previously Presented): The white color organic electroluminescence device according to claim 1, wherein the bluish color light emitting layer comprises a bluish color host material and a bluish color dopant, and the bluish color host material comprises an asymmetric compound comprising a condensed ring.

Claim 4 (Previously Presented): The white color organic electroluminescence device according to claim 1, wherein the asymmetric compound comprising a condensed ring comprises the compound represented by the formula (I):




(I)

wherein Ar¹ and Ar² each independently represent a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, provided that Ar¹ and Ar² do not have the same structure; and

R^1 to R^8 each independently represent a hydrogen atom, a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, a substituted or unsubstituted aromatic heterocyclic group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 6 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 nuclear atoms, a substituted or unsubstituted arylthio group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkoxycarbonyl group having 1 to 50 carbon atoms, a carboxyl group, a halogen atom, a cyano group, a nitro group, or a hydroxyl group.

Claim 5 (Previously Presented): The white color organic electroluminescence device according to claim 1, wherein the asymmetric compound comprising a condensed ring comprises the compound represented by any one of the formulae (II) to (IV):




(II)

wherein Ar represents a substituted or unsubstituted fused aromatic ring residue having 10 to 50 nuclear carbon atoms;

Ar' represents a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms;

X represents a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, a substituted or unsubstituted aromatic heterocyclic group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 6 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 nuclear atoms, a substituted or unsubstituted arylthio group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkoxycarbonyl group having 1 to 50 carbon atoms, a carboxyl group, a halogen atom, a cyano group, a nitro group, or a hydroxyl group; and

a, b, and c each represent an integer of 0 to 4, and n represents an integer of 1 to 3;




(III)

wherein A¹ and A² each independently represent a substituted or unsubstituted fused aromatic ring residue having 10 to 20 nuclear carbon atoms;

Ar¹ and Ar² each independently represent a hydrogen atom, or a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms; and

R¹ to R¹⁰ each independently represent a hydrogen atom, a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, a substituted or unsubstituted

aromatic heterocyclic group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 6 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 nuclear atoms, a substituted or unsubstituted arylthio group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkoxycarbonyl group having 1 to 50 carbon atoms, a carboxyl group, a halogen atom, a cyano group, a nitro group, or a hydroxyl group, provided that no symmetrical group binds to each of 9-position and 10-position of central anthracene;




(IV)

wherein Ar^{1'} and Ar^{2'} each independently represent a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms; and

R¹ to R¹⁰ each independently represent a hydrogen atom, a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, a substituted or unsubstituted aromatic heterocyclic group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 6 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 nuclear atoms, a substituted or unsubstituted arylthio group having 5 to 50 nuclear atoms, a substituted or unsubstituted

alkoxycarbonyl group having 1 to 50 carbon atoms, a carboxyl group, a halogen atom, a cyano group, a nitro group, or a hydroxyl group, provided that no symmetrical group binds to each of 9-position and 10-position of central anthracene.

Claim 6 (Previously Presented): The white color organic electroluminescence device according to claim 1, wherein the asymmetric compound comprising a condensed ring comprises the compound represented by the formula (V):




(V)

wherein Ar³ and Ar⁴ each independently represent a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, provided that Ar³ and Ar⁴ do not have the same structure; and

R¹¹ to R¹⁸ each independently represent a hydrogen atom, a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, a substituted or unsubstituted aromatic heterocyclic group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 6 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 nuclear atoms, a substituted or unsubstituted arylthio group having 5 to 50 nuclear atoms, a substituted or unsubstituted

alkoxycarbonyl group having 1 to 50 carbon atoms, a carboxyl group, a halogen atom, a cyano group, a nitro group, or a hydroxyl group.

Claim 7 (Currently Amended): The white color organic electroluminescence device according to claim 1, wherein the asymmetric compound comprising a condensed ring comprises the compound represented by any one of the formulae (VI) to (IX):




(VI)

wherein Ar^5 represents a substituted or unsubstituted fused aromatic ring residue having 10 to 50 nuclear carbon atoms;

Ar^6 represents a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms;

X^1 and X^2 each independently represent a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, a substituted or unsubstituted aromatic heterocyclic group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 6 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 nuclear atoms, a substituted or unsubstituted arylthio group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkoxycarbonyl group having 1 to 50 carbon atoms, a carboxyl group, a halogen atom, a cyano group, a nitro group, or a hydroxyl group; and

d represents an integer of 0 to 8, **e** represents an integer of 0 to 4, and n^1 represents an integer of 1 to 3;




(VII)

wherein Ar^7 and Ar^8 each independently represent a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms;

X^3 , X^4 , and X^5 each independently represent a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, a substituted or unsubstituted aromatic heterocyclic group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 6 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 nuclear atoms, a substituted or unsubstituted arylthio group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkoxycarbonyl group having 1 to 50 carbon atoms, a carboxyl group, a halogen atom, a cyano group, a nitro group, or a hydroxyl group; and

f and **g** each represent an integer of 0 to 4, **h** represents an integer of 0 to 8, and n^2 represents an integer of 1 to 3, provided that no symmetrical group binds to each of 1-position and 6-position of central pyrene;




(VIII)

wherein A³ and A⁴ each independently represent a substituted or unsubstituted fused aromatic ring residue having 10 to 20 nuclear carbon atoms;

Ar⁹ and Ar¹⁰ each independently represent a hydrogen atom, or a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms; and

R¹¹ to R²⁰ each independently represent a hydrogen atom, a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, a substituted or unsubstituted aromatic heterocyclic group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 6 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 nuclear atoms, a substituted or unsubstituted arylthio group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkoxycarbonyl group having 1 to 50 carbon atoms, a carboxyl group, a halogen atom, a cyano group, a nitro group, or a hydroxyl group, provided that no symmetrical group binds to each of 1-position and 6-position of central pyrene;



(IX)

wherein Ar¹¹ and Ar¹² each independently represent a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms;

X⁶ and X⁷ each independently represent a substituted or unsubstituted aryl group having 6 to 50 nuclear carbon atoms, a substituted or unsubstituted aromatic heterocyclic group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 6 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 nuclear atoms, a substituted or unsubstituted arylthio group having 5 to 50 nuclear atoms, a substituted or unsubstituted alkoxycarbonyl group having 1 to 50 carbon atoms, a carboxyl group, a halogen atom, a cyano group, a nitro group, or a hydroxyl group;

L represents a substituted or unsubstituted arylene group having 6 to 50 nuclear carbon atoms, or a substituted or unsubstituted divalent aromatic heterocyclic group having 3 to 50 nuclear atoms; and

i and j each represent an integer of 0 to 8, and n³ and n⁴ each represent an integer of 1 to 3.

Claim 8 (Previously Presented): The white color organic electroluminescence device according to claim 3, wherein the bluish color dopant comprises at least one compound

selected from the group consisting of a styrylamine, an amine-substituted styryl compound, a compound comprising an amine-substituted fused aromatic ring, a compound comprising a fused aromatic ring, and combinations thereof.

Claim 9 (Previously Presented): The white color organic electroluminescence device according to claim 1, comprising the anode, the bluish color light emitting layer, the yellow-to-reddish color light emitting layer, and the cathode in this order, wherein the yellow-to-reddish color light emitting layer comprises a same host material as that of the bluish color light emitting layer and a yellow-to-reddish color dopant.

Claim 10 (Previously Presented): The white color organic electroluminescence device according to claim 9, wherein the yellow-to-reddish color dopant comprises a compound having multiple fluoranthene skeletons.

Claim 11 (Previously Presented): The white color organic electroluminescence device according to claim 9, wherein the yellow-to-reddish color dopant comprises a compound having a fluorescent peak wavelength of 540 nm to 700 nm.

Claim 12 (Previously Presented): The white color organic electroluminescence device according to claim 1, wherein each of the bluish color light emitting layer and the yellow-to-reddish color light emitting layer has a thickness of 5 nm or more.


Claim 13 (Previously Presented): The white color organic electroluminescence device according to claim 8, wherein the bluish color dopant comprises at least one compound selected from the group consisting of a styrylamine, an amine-substituted styryl

compound, a compound comprising an amine-substituted fused aromatic ring, and combinations thereof.

Claim 14 (Previously Presetned): The white color organic electroluminescence device according to claim 8, wherein the bluish color dopant comprises at least one compound selected from the group consisting of a styrylamine, an amine-substituted styryl compound, and combinations thereof.


Claim 15 (Previously Presented): The white color organic electroluminescence device according to claim 1, further comprising a hole injecting layer.

Claim 16 (Previously Presented): The white color organic electroluminescence device according to claim 15, wherein the hole injecting layer comprises a compound of formula (X):



Claim 17 (Previously Presented): The white color organic electroluminescence device according to claim 15, further comprising a hole transporting layer.

Claim 18 (Previously Presented): The white color organic electroluminescence device according to claim 17, wherein the hole transporting layer comprises a compound of formula (XI):



Claim 19 (Previously Presetned): The white color organic electroluminescence device according to claim 1, further comprising an alq film.

Claim 20 (Currently Amended): The white color organic electroluminescence device according to ~~claim 20~~ claim 19, wherein the alq film comprises tris (8-quinolinol)aluminum.